JUN 26 2007 PE

HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 1 of 6

ATTORNEY DOCKET No.	SERIAL NO.
4981-000011/NP	10/539,634
APPLICANT	
Leon Carlock et al.	
FILING DATE	GROUP
December 9, 2005	1649

U.S. PATENT DOCUMENTS						
Ref. Desig.	Examiner's Initials	Document Number	Date	Name	Class/ Subclass	(If appropriate) Filing Date
1.	/CYW/	5,242,798	09/07/1993	Sutcliffe		,

FORE	FOREIGN PATENT DOCUMENTS						
Ref. Desig.	Examiner's Initials	Document Number	Date	Country	Class/ Subclass	Translat Yes	ion No
1.	/CYW/	EP 0684310	11/29/1995	EPO		N/A	
2.		JP 06-211683	08/02/1994	Japan		X	
3.	V	JP 09-263543	10/07/1997	Japan		Х	
4.	/CYW/	WO 96/34622	11/07/1996	WIPO		N/A	

OTHE	R DOCUME	ENTS (including Author, Title, Date, Pertinent Pages, etc.)
Ref. Desig.	Examiner's Initials	
1.	/CYW/	Baumgartner et al. (1999). Molecular analysis of the porcine proteolipid protein (PLP) gene. Mamm Genome. 10: 895-899
2.		Baumgartner et al. (2000). Structural analysis and transcript processing of the bovine proteolipid protein (PLP) gene. DNA Sequence. 10(6): 379-385
3.		Bizzozero et al. (2002). Mass- spectrometric analysis of myelin proteolipids reveals new features of this family of palmitoylated membrane proteins. J Neurochem. 81: 636-645
4.		Blesch et al. (2002). Neurotrophic factors, gene therapy, and neural stem cells for spinal cord repair. Brain Res Bull. 57(6): 833-838
5.		Boison et al. (1995). Adhesive properties of proteolipid protein are responsible for the compaction of CNS myelin sheaths. J Neurosci. 15(8): 5502-5513
6.	V	Bongarzone et al. (2001). Differential sensitivity in the survival of oligodendrocyte cell lines to overexpression of myelin proteolipid protein gene products. J Neurosci Res 65: 485-492
7.	/CYW/	Boucher et al. (2002). Proteolipid protein gene modulates viability and phenotype of neurons. J Neurosci. 22 (5): 1772-1783

Examiner:	/Chang-Yu Wang/	Date Considered: 08/09/2007	

JUN 2 6 2007

HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 2 of 6

ATTORNEY DOCKET No.	SERIAL NO.
4981-000011/NP	10/539,634
APPLICANT	
Leon Carlock et al.	•
FILING DATE	GROUP
December 9, 2005	1649

Ref. Desig.	Examiner's Initials	·
8.	/CYW/	Burne et al. (1996). Glial cells are increased proportionally in transgenic optic nerves with increased numbers of axons. J Neurosci. 16(6): 2064-2073
9.		Campagnoni et al. (1994). Isolation and characterization of a cDNA encloding the zebra finch myelin proteolipid protein. Neurochem Res. 19(8): 1061-1065
10.		Casaccia-Bonnefil (2000). Cell death in the oligodendrocyte lineage: a molecular perspective of life/death decisions in development and disease. Glia. 29: 124-135
11.		De Louw et al. (2002). Developmental apoptosis in the spinal cord white matter in neonatal rats. Glia. 37: 89-91
12.		Dickinson et al. (1996). Oligodendrocyte progenitors in the embryonic spinal cord express DM-20. Neuropathol Appl Neurobiol. 22: 188-198
13.		Diehl et al. (1986). Individual exons encode the integral membrane domains of human myelin proteolipid protein. Proc Natl Acad Sci USA. 83: 9807-9811
14.		Du et al. (2002). Oligodendrocytes as providers of growth factors. J Neurosci Res. 68: 647-654
15.		Edgar et al. (2002). Survival of, and competition between, oligodendrocytes expressing different alleles of the PIp gene. J Cell Biol. 158(4): 719-729
16.		Garbern (2007). Pelizaeus-Merzbacher disease: genetic and cellular pathogenesis. Cell Mol Life Sci 64: 50-65
17.		Gow et al. (1997). Conservation of topology, but not conformation, of the proteolipid proteins of the myelin sheath. J Neurosci. 17(1): 181-189
18.		Gudz et al. (2002). Myelin proteolipid protein forms a complex with integrins and may participate in integrin receptor signaling in oligodendrocytes. J Neurosci. 22(17): 7398-740
19.		Hudson et al. (1987). Aberrant splicing of proteolipid protein mRNA in the dysmyelinating jimpy mutant mouse. Proc Natl Acad Sci USA. 84: 1454-1458
20.		Inoue et al. (1996). Cell death of oligodendrocytes or demyelination induced by overexpression of proteolipid protein depending on expressed gene dosage. Neurosci Res 25: 161-172
21.		Jung et al. (1996). Monoclonal antibody O10 defines a conformationally sensitive cell-surface epitope of proteolipid protein (PLP): evidence that PLP misfolding underlies dysmyelination in mutant mice. J Neurosci. 16(24): 7920-7929
22.	ICYWI	Klugmann et al. (1997). Assembly of CNS myelin in the absence of proteolipid protein. Neuron. 18: 59-70

Examiner:	/Chang-Yu Wang/	Date Considered: 08/09/2007	

JUN 26 2007

M HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 3 of 6

ATTORNEY DOCKET No.	SERIAL NO.
4981-000011/NP	10/539,634
APPLICANT	
Leon Carlock et al.	
FILING DATE	GROUP
December 9, 2005	1649

Ref.	Examiner's	·	
Desig.	Initials	·	
23. _{/CYW/}		Knapp et al. (1999). Programmed cell death without DNA fragmentation in the jimpy mouse: secreted factors can enhance survival. Cell Death Differ. 6: 136-145	
24.	Laursen et al. (1984). The structure of bovine myelin proteolipid and its organization myelin. Proc Natl Acad Sci USA. 81: 2912-2916		
25.		Le Bras et al. (2005). Oligodendrocyte development in the embryonic brain: the contribution of the PLP lineage. Int J Dev Biol 49: 209-220	
26.		Lees et al. (1983). Amino acid sequence of bovine white matter proteolipid. Arch of Bioc and Biop. 226(2): 643-656	
27.		Lepage et al. (1986). Purification and characterization of minor brain proteolipids: use of fast atom bombardment-mass spectrometry for peptide sequencing. Biochimie. 68: 669-686	
28.		Limón et al. (1997). High-titer retroviral vectors containing the enhanced green fluorescent protein gene for efficient expression in hematopoietic cells. Blood 90(9): 3316-3321.	
29.		Liu et al. (2000). Embryonic stem cells differentiate into oligodendrocytes and myelinate in culture and after spinal cord transplantation. Proc Natl Acad Sci USA. 97(11): 6126-6131	
30.		Macklin et al. (1987). Structure and expression of the mouse myelin proteolipid protein gene. J Neurosci Res. 18: 383-394	
31.		Macklin et al. (1990). Structure and expression of the mouse myelin proteolipid protein gene. Annals New York Acad Sci 605(1): 183-193	
32.		McLaughlin et al. (2002). Evidence for possible interactions between PLP and DM20 within the myelin sheath. Glia. 39: 31-36	
33.	·	Milner et al. (1985). Nucleotide sequences of two mRNAs for rat brain myelin proteolipid protein. Cell. 42: 931-939	
34.		Nadon et al. (1994). A combination of PLP and DM20 transgenes promotes partial myelination in the jimpy mouse. J Neurochem. 63: 822-833	
35.		Nadon et al. (1990). A point mutation in the proteolipid protein gene of the 'shaking pup' interrupts oligodendrocyte development. Development 110: 529-537	
36.	V	Nadon et al. (1997). Myelin proteolipid DM20: evidence for function independent of myelination. Int J Dev Neurosci. 15(3): 285-293	
37.	/CYW/	Nakao et al. (1995). Expression of proteolipid protein gene is directly associated with secretion of a factor influencing oligodendrocyte development. J Neurochem. 64: 2396-2403	

Evenines	•	Date Considered: 09/09/2007
Examiner:	/Chang-Yu Wang/	Date Considered. 08/09/2007

JUN 2 6 2007

M HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 4 of 6

ATTORNEY DOCKET No.	SERIAL NO.
4981-000011/NP	10/539,634
APPLICANT	
Leon Carlock et al.	
FILING DATE	GROUP
December 9, 2005	1649

Ref. Desig.	Examiner's Initials			
38.	/CYW/	Nave et al. (1987). Splice site selection in the proteolipid protein (PLP) gene transcript a primary structure of the DM-20 protein of central nervous system myelin. Proc Natl Acad Sci USA. 84: 5665-5669		
39.	1	Okano (2002). Stem cell biology of the central nervous system. J Neurosci Res. 69: 698-707		
40.		Roy et al. (2000). Promoter-targeted selection and isolation of neural progenitor cells from the adult human ventricular zone. J Neurosci Res. 59: 321-331.		
41.		Schliess et al. (1991). Evolution of the myelin integral membrane proteins of the central nervous system. Biol Chem. 372: 865-874		
42.		Schweitzer et al. (2006). Evolution of myelin proteolipid proteins: gene duplication in teleosts and expression pattern divergence. Mol Cell Neurosci. 31: 161-177		
43.		Sinoway et al. (1994). Tissue lipoproteins revisited: new proteolipid protein gene family members in elasmobranchs. Neurochem Res. 19(8): 1047-1054		
44.		Skoff (1982). Increased proliferation of oligodendrocytes in the hypomyelinated mouse mutant-jimpy. Brain Research. 248: 19-31.		
45.		Skoff et al. (2004) The myelin proteolipid protein genes modulates apoptosis in neural and non-neural tissues. Cell Death Diff. 11: 1247-1257		
46.		Skoff et al. (2004). Analyses of proteolipid protein mutants show levels of proteolipid protein regulate oligodendrocytes number and cell death in vitro and in vivo. Neurochem Res. 29(11): 2095-2103		
47.		Smith et al. (1984). Structure of the proteolipid protein extracted from bovine central nervous system myelin with nondenaturing detergents. J Neurochem. 42(2): 306-313		
48.		Stecca et al. (2000). The evolution of lipophilin genes from invertebrates to tetrapods: DM-20 cannot replace proteolipid protein in CNS myelin. J Neurosci. 20(11): 4002-4010		
49.		Tang et al. (1996). Cloning and expression of the proteolipid protein DM20 cDNA from the brain of the rainbow trout, Oncorhynchus mykiss. Brain Res Mol Brain Res. 41: 134-139		
50.	V	Timsit et al. (1992). DM-20 mRNA is expressed during the embryonic development of the nervous system of the mouse. J Neurochem. 58: 1172-1175		
51.	/CYW/	Tohyama et al. (2000). Phylogenetic relation of lungfish indicated by the amino acid sequence of myelin DM20. Mol Brain Res. 80: 256-259		

JUN 2:6-2007

M HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 5 of 6

ATTORNEY DOCKET No.	SERIAL NO.	
4981-000011/NP	10/539,634	
APPLICANT		
Leon Carlock et al.		
FILING DATE	GROUP	
December 9, 2005	1649	

OTHE	R DOCUME	NTS (including Author, Title, Date, Pertinent Pages, etc.)		
Ref. Desig.	Examiner's Initials			
52.	/CYW/	Tohyama et al. (1999). Gene structure and amino acid sequence of Latimeria chalumr (coelacanth) myelin DM20: phylogenetic relation of the fish. Neurochem Res. 24(7): 86 873		
53.		Tosic et al. (1997). Intracellular transport of the DM-20 bearing shaking pup (shp) mutation and its possible phenotypic consequences. J Neurosci Res. 50:844–852		
54.		Tosic et al. (1994). Paralytic tremor (pt): a new allele of the proteolipid protein gene in rabbits. J Neurochem. 63: 2210-2216		
55.		Trapp et al. (1997). Differentiation and death of premyelinating oligodendrocytes in developing rodent brain. J Cell Biol. 137(2): 459-468		
56.		Venkatesh et al. (2001). Molecular synapomorphies resolve evolutionary relationships of extant jawed vertebrates. Proc Natl Acad Sci. 98(20):11382-11387		
57.		Vermeesch et al. (1990). Death of individual oligodendrocytes in jimpy brain precedes expression of proteolipid protein. Int J Dev Neurosci 12: 303-315		
58.		Wahle et al. (1998). Cotranslational integration of myelin proteolipid protein (PLP) into the membrane of endoplasmic reticulum: analysis of topology by glycosylation scanning and protease domain protection assay. Glia 24: 226-235		
59.		Whikehart et al. (1973). Amino and carboxyl-terminal amino acids of proteolipid proteins. J Neurochem. 20: 1303-1315		
60.		Wiggins et al. (1974). NH ₂ -terminal analysis of Wolfgram and Folch-Lees proteolipid proteins. J Neurochem. 22: 337-340		
61.		Wu et al. (1997). Novel green fluorescent protein (GFP) baculovirus expression vectors. Gene 190: 157-162.		
62.		Yamada et al. (1999). Proteolipid protein gene product can be secreted and exhibit biological activity during early development. J Neurosci. 19(6): 2143-2151		
63.	·	Yamada et al. (2001). Mutant PLP/DM20 cannot be processed to secrete PLP-related oligodendrocyte differentiation/survival factor. Neurochem Res. 26(6): 639-645		
64.		Yamaguchi et al. (1996). Myelin proteolipid protein (PLP), but not DM-20, is an inositol hexakisphosphate-binding protein. J Biol Chem. 271(44): 27838-27846		
65.		Yang et al. (1997). Proteolipid protein regulates the survival and differentiation of oligodendrocytes. J Neurosci. 17(6): 2056-2070		
66.	/CYW/	Yin et al. (2006). Evolution of a neuroprotective function of central nervous system myelin. J Cell Biol 172(3): 469-478		

Examiner:	/Chang-Yu Wang/	Date Considered:	08/09/2007	•
			· · · · · · · · · · · · · · · · · · ·	



M HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 6 of 6

ATTORNEY DOCKET NO.	SERIAL NO.
4981-000011/NP	10/539,634
APPLICANT	
Leon Carlock et al.	
FILING DATE	GROUP
December 9, 2005	1649

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.)			
Ref. Desig.	Examiner's Initials		
67.	/CYW/	Yool et al. (2001). Myelin proteolipid proteins promote the interaction of oligodendrocytes and axons. J Neurosci Res. 63: 151-164	

Examiner:

/Chang-Yu Wang/

Date Considered:

08/09/2007